

## Application Release Notes

**Name of Application:** DMH Client Services  
**Date of Deployment:** Tuesday, January 24, 2017  
**Version#** RC201701  
**Environment:** DMH TEST ENVIRONMENT  
**WSDL URL:**

<https://b2btst.dmh.lacounty.gov/ClientService/ClientServiceInterface.svc?wsdl>

**Documents URL:**

[https://lacdmh.lacounty.gov/hipaa/IBHIS\\_EDT\\_Technical\\_Specifications.htm](https://lacdmh.lacounty.gov/hipaa/IBHIS_EDT_Technical_Specifications.htm)

### Requirements/Issues/Tasks

ID	Description
7379, 7538	Modified the list of acceptable values for [ICD10Code] data attribute in {CreateClientDiagnosis} and {UpdateClientDiagnosis} operations to accommodate the ICD10 code changes set by American Psychiatric Association. Please refer to the <Dictionary file name>.
7542, 7541, 7540	Modified the list of acceptable values for [ClientOtherRace] data attribute in <ul style="list-style-type: none"> <li>{AdmitNewClient}</li> <li>{AdmitExistingClient}</li> <li>{UpdateClientDetails}</li> </ul> to align with the list of acceptable values for [CSIRace] data attribute of <ul style="list-style-type: none"> <li>{CreateClientCSI}</li> <li>{UpdateClientDetails} calls.</li> </ul>
7241, 7191	Modified the list of acceptable values for [CSIRace] data attribute in <ul style="list-style-type: none"> <li>{CreateClientCSI}</li> <li>{UpdateClientDetails}</li> </ul> to align with the list of acceptable values for [ClientOtherRace] data attribute of <ul style="list-style-type: none"> <li>{AdmitNewClient}</li> <li>{AdmitExistingClient}</li> <li>{UpdateClientDetails} calls.</li> </ul>
7339	Added the functionality to show two different lists of the acceptable values for [TypeOfDischarge] data attribute for {DischargeClient} call based on the admission episode so that it will prevent outpatient discharge with inpatient 'Type of Discharge' value.
7384, 7383, 5829, 7385	Added the functionality to allow pseudo SSN values (numbers ending with 'P' or 'Q') in the [SocialSecurityNumber] data attribute of the following calls: <ul style="list-style-type: none"> <li>{AdmitNewClient}</li> <li>{AdmitExistingClient}</li> <li>{UpdateClientDetails}</li> <li>{SearchClient}</li> </ul>
6753	Modified the validation for [Alias] data attribute to accept numbers in {SearchClient} call so search by Alias ID will be possible to retrieve any matching record from IBHIS that has the Alias ID values in Alias field(s).
7543	Modified the validation of [SubscriberSocialSecurityNumber] of {UpdateClientFinEligibility} to not allow the following: <ul style="list-style-type: none"> <li>all 0s thru all 8s</li> <li>Area numbers with 000, 666 and 900-999 (note: first 3 digits are the area</li> </ul>

ID	Description
	<p>numbers)</p> <ul style="list-style-type: none"> <li>Numbers with all zeros in any digit group (000-##-####, ###-00-####, ###-##-0000)</li> <li>Numbers from 987-65-4320 to 987-65-4329</li> </ul> <p>And allow the following: pseudo-SSN format: #####P, #####Q (where # = 0 thru 9)</p>
<b>7374 (Internal)</b>	Modified the Client Services package with the updated Netsmart URLs for TEST and QA environments so that the package will point to the correct Netsmart endpoints.
<b>6267 (Internal)</b>	Modified <i>BizTalkAppPool</i> for Services to be restarted as part of the Client Services deployment process so that changes in Services can take effect.
<b>6872 (Internal)</b>	Modified BTDF components for Client Services application so they are all aligned.
<b>7259 (Internal)</b>	Modified Client Services application so extraneous artifacts can be removed and be aligned with newer applications.
<b>7634</b>	<p>Modified the BizTalk mapping so that the following code translations take place when we admit, update, retrieve client records to and from Avatar:</p> <p>For {AdmitNewClient}; [AdmitExistingClient] and {UpdateClientDetails} calls' [ClientOtherRace] data attribute:</p> <ul style="list-style-type: none"> <li>Translate DMH code WhiteOrCaucasian to Avatar code 1</li> <li>Translate DMH code BlackOrAfricanAmerican to Avatar code 2</li> <li>Translate DMH code AlaskaNative to Avatar code 4</li> </ul> <p>For {GetClientDetails} call's [ClientOtherRace] data attribute:</p> <ul style="list-style-type: none"> <li>Translate Avatar code 1 to DMH code WhiteOrCaucasian</li> <li>Translate Avatar code 2 to DMH code BlackOrAfricanAmerican</li> <li>Translate Avatar code 4 to DMH code AlaskaNative</li> </ul> <p>For {CreateClientCSI} and {UpdateClientDetails} calls' [CSIRace] data attribute:</p> <ul style="list-style-type: none"> <li>Translate DMH code HawaiianNative to Avatar code P</li> </ul> <p>For {GetClientCSIs} call's [CSIRace] data attribute:</p> <ul style="list-style-type: none"> <li>Translate Avatar code P to DMH code HawaiianNative</li> </ul>
<b>7617, 7654, 7655</b>	<p>Modified the maximum length of [ClientFirstName] and [ClientLastName] data attributes for the operations as described below so that client records with long last names can be admitted without any error.</p> <p>operation: {AdmitNewClient}, {AdmitExistingClient}, {UpdateClientDetails}</p> <p>[ClientLastName], maximum length changed from 20 to 24</p> <p>[ClientFirstName], maximum length changed from 19 to 16</p>
<b>7657</b>	<p>Modified the maximum length of [ClientLastName] data attribute for the {GetClientDetails} operation as described below so that client records with long last names can be retrieved without any error.</p> <p>[ClientLastName], maximum length changed from 20 to 24</p>
<b>7658</b>	<p>Modified the maximum length of [ClientFirstName] and [ClientLastName] data attributes for the {SearchClient} operation as described below so that client records with long last names can be searched without any error.</p> <p>[ClientLastName], maximum length changed from 20 to 24 for both inbound and outbound</p>

ID	Description
	messages.
<b>7659</b>	<p>Modified the maximum length of Subscriber's First Name and Last Name data attributes for the Update Client Fin Eligibility operation as described in the 'Details' below so that client's Financial Eligibility records with long last names can be updated without any error.</p> <p>[SubscriberLastName], maximul length changed from 20 to 24</p> <p>[SubscriberFirstName], maximul length changed from 19 to 16</p>
<b>7660</b>	<p>Modified the maximum length of Subscriber's Last Name data attribute for the Get Client Financial Eligibility operation as described in the 'Details' below, so that client's FE records with long subscriber last names can be retrieved without any error.</p> <p>[SubscriberLastName], maximul length changed from 20 to 24</p>
<b>Task-3617</b>	<p>Modified WSDL URLs so that updated structure of the Client Services can be found from where its published:</p> <p>Old url: <a href="https://b2btst.dmh.lacounty.gov/clientservice/svc.wsdl">https://b2btst.dmh.lacounty.gov/clientservice/svc.wsdl</a></p> <p>New url: <a href="https://b2btst.dmh.lacounty.gov/clientservice/clientserviceinterface.svc?wsdl">https://b2btst.dmh.lacounty.gov/clientservice/clientserviceinterface.svc?wsdl</a></p>
<b>Known Issue</b>	<p>When an invalid SSN is present in the UpdateClientFinEligibility call, it throws the following error:</p> <p>The Messaging Engine failed while executing the inbound map for the message coming from source URL:"/ClientService/ClientServiceInterface.svc" with the Message Type "http://b2b.dmh.lacounty.gov/ews/EstablishClient/201601#UpdateClientFinEligibility_Input". Details:"Exception has been thrown by the target of an invocation."</p>